

FIGURE 1A




FIGURE 1B

Node ID (e.g., IP address) <u>202</u>	Care-of address <u>204</u>

FIG. 2

HA redundancy

Initialize operation of Home Agents via sending binding table request and receiving mobility binding table reply (updates)

~302 (SEE FIG. 4)

Download Mobility Binding Table to requesting HA: Send mobility binding table reply (updates) and update list of Home Agents in redundancy group in response to received binding table request

~304 (SEE FIG. 5)

Receive registration request and update mobility binding table of routers in redundancy group with new binding; send mobility binding table updates

~306 (SEE FIG. 6 and FIG. 7)

Perform de-registration

~308 (SEE FIG. 8 and FIG. 9)

FIG. 3




FIG. 4

304




FIG. 5

6' 506




FIG. 6




FIG. 7




FIG. 8




FIG. 9

Type 1002	Granted Lifetime 1004	Remaining Lifetime 1006
Home Address 1008	Home Agent 1010	Care-of Address 1012
Identification 1014		

FIG. 10

Type 1102	Code 1104	Home Address 1106
Identification 1108		

FIG. 11

Type 1202	NumHA 1204	Identification 1206
Home Agent Address(es) 1208		

FIG. 12

Type 1302	Code 1304	NumBind 1306
MoreBind 1308	Identification 1310	Extensions 1312

FIG. 13

Type 1402	Code 1404	MoreBind 1406
Identification 1408		

FIG. 14




Figure 15